

200400115

THE UNIVERD STAYLES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Konisiana State Unibersity Agricultural Genter

ILCCOS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR FEERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. IN AUTHED STATES SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED DESCRIPTION OF THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE RIGHTS. (84 STAT. NIDED, 7 U.S.C. 2321 ET SEQ.)

RICE

'Pirogue'

In Testimonn Mucrost, I have hereunto set my hand and caused the seal of the Plant Pariety Protection Pilite to be affixed at the City of Washington, D.C. this tenth day of November, in the year two thousand and four.

Attest:

(20 migh

Commissioner Plant Variety Protection Office Agricultural Marketing Service g of Agriculture

INSTRUCTIONS 2004 0 0 1 1 5

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filling fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that name has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, 10301 Baltimore Avenue, Suite 401 NAL Building, Beltsville, MD 20705. Telephone: (301) 504-5682 http://www.ams.usda.gov/lsg/seed.htm.

ITEM

- 19a. Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

 United States March 6, 2003.
- 24. CONTINUED FROM FRONT (Please give the country, date of filling or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

EXHIBIT A

Pirogue – Development History Pedigree: Rico 1/S-101

Year	Generation	ID
1990	Cross	90CR159
1991	F_1	91T1184
1992	F_2	92F7390
1993	F_3	9320137
1994	F_4	9435564
1995	F_5	9502678
1996	F_6	96B6343 (Puerto Rico)
1997	F ₇	97P4530 (Puerto Rico)
1997	F_8	9764053
1998	F ₉	9802765 (Preliminary Yield)
1999	\mathbf{F}_{10}	9902134 (Uniform Regional Nursery –
		Commercial/Advanced Yield)
2000	F_{11}	Headrow Increase
2001	F_{12}	Breeder Seed
2002	F ₁₃	Foundation Seed
2003	F_{14}	Foundation seed produced by commercial seed producers

Details of stages of selection and multiplication

Pirogue was developed from a modified program of single seed descent. From the original cross made in 1990, five F₁ plants were grown in 1991. The seed from these F₁ plants were bulked and used to plant a large F2 population in 1992. One panicle was selected from each of 250 F₂ plants and these were grown as F₃ panicle rows in 1993. Row number 9320137 was selected for advancement (among others). Ten panicles were selected from this row and these were grown as F₄ panicle rows in 1994. Row number 9435564 was selected for advancement. Ten panicles were selected from this row and these were grown as F₅ panicle rows in 1995. Row number 9502678 was selected for advancement. Ten panicles were selected from this row and these were grown as F₆ panicle rows in Puerto Rico (winter nursery facility). Row 96B6343 was selected for advancement. Ten panicles were selected from this row and these were grown as F₇ panicle rows in Puerto Rico (planted in December 1996, harvested in April 1997). Ten panicles were selected from row 97P4530 and these were planted as panicle rows (F₈) at the Rice Research Station in 1997. Row number 9764053 was selected for advancement. Ten panicles were selected from this row and the remaining seed was bulked. The bulked seed was used for yield testing in 1998, while the 10 panicles were planted as panicle rows (F₉) in the same year. This material was reselected and grown as panicle rows in 1999 (F₁₀) as yield, agronomic, and quality testing continued. A 500-panicle row increase was grown in 2000 (F₁₁). This seed was

used to plant a breeder seed block (F_{12}) in 2001; the seed from which was used to plant a foundation seed field (F_{13}) in 2002. This is the seed that was released to growers in 2003.

Pirogue has been observed for six generations of increase and purification (1998-2003) and has exhibited a very high level of uniformity and stability.

Pirogue was originally selected in the F₈ generation as a short-statured, early maturing, disease resistant short-grain line that displayed good yield potential. It has displayed excellent yield potential and acceptable short-grain quality characteristics, as well as good resistance to *Rhizoctonia solani* (sheath blight), *Pyricularia grisea* (blast), and physiological straighthead disorder in trials and nurseries for several years. Yield, milling and agronomic data are attached from multi-location testing (six environments) in 2003.

In each generation of multiplication and purification (F_4-F_{13}) , the line was selected for uniformity and purity.

Variants observed and removed from increase fields of Pirogue included any combination of the following: taller, shorter, pubescent, earlier, later, gold-hull, awned grains, and intermediate grain shape. The total number of off-types was less than 1 per 5,000 plants.

EXHIBIT B

Statement of Distinctness

PIROGUE

Pirogue is a high yielding, early maturing, short-stature short-grain rice variety. It was derived from the cross 'Rico 1'/'S-101' made in 1990. The variety averages 80 days from emergence to 50% heading, which is the same as Bengal and Earl and 5 days later than Cocodrie. The variety is moderately resistant to lodging. Pirogue has shown adaptation throughout the southern U.S. rice producing regions.

Pirogue most closely resembles the rice variety 'Bengal.' One major difference between Pirogue and Bengal is the fact that Pirogue is a short grain and Bengal is a medium grain. The flag leaf of Pirogue is longer and less erect than that of Bengal. The leaves are glabrous. The lemma can display short hairs on the keel. The spikelet is straw colored and some very short awns have been observed under certain environmental conditions. The apiculus is straw colored. The grain is non-aromatic, non-glutinous, and displays a light brown pericarp. The inner leaf sheath may display a slight purple coloration, especially toward the base of the plant.

Breeder and foundation seed will be produced by the Rice Research Station at Crowley, LA. Foundation seed may be produced by cooperating public rice research stations. Pirogue will also be sold as registered and certified classes of seed.

REPRODUCE LOCALLY. Include form number and date on all reproductions.

Form Approved OMB NO 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705 Exhibit C

PIROGUE

OBJECTIVE DESCRIPTION OF VARIETY

Rice (Oryza sativa)	
NAME OF APPLICANT (S) Steve Linscombe	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or RD No., City, State, and Zip Code)	- pvp02v040400115
Rice Research Station, 1373 Caffey Road, Rayne, LA 70578	VARIETY NAME
	TEMPORARY OR EXPERIMENTAL DESIGNATION
PLEASE READ ALL INSTRUCTIONS CAREFULLY:	
Place the appropriate number that describes the character of this variety in the spaces provided below. These to descriptors developed by IBGR-IRRI Rice Advisory Committee and the US Rice Crop Advisory Committee. readily by describing as many characters as is possible.	
1. MATURITY - Days to Heading (Seeding to 50% Heading):	•
A. South: (Location: <u>Crowley, LA</u>) at <u>165</u> kg/ha (Nitrogen Rate)	
80 Number of Days	
Days Earlier Than Check Variety:	
Days Same As Check Variety: Bengal	
1 Maturity Class (50% Heading) – South: 1 = Very Early (85 Days or Less) 3 = Intermediate (101 - 115)	2 = Early (86 - 100) 4 = Late (More Than 115)
B. California: (Location:) atkg/ha (Nii	trogen Rate)
Number of Days	
Days Earlier Than Check Variety:	
Days Same As Check Variety:	
Days Later Than Check Variety:	
Maturity Class (50% Heading) – California: 1 = Very Early (90 Days or Less) 3 = Intermediate (98 - 104)	2 = Early (91 - 97) 4 = Late (More Than 104)
2. CULM:	
	60°)

2.	CULM	l: (continued)									
		LENGTH						2004	ann '		5
	<u>101 •</u>	0 cm (Soil level to t	op of extend	ded panicl	e on main stem)			200 V V	9 B B		3 7 ·
	<u>7 •</u>	0 cm Shorter Than		Check Va	riety: <u>Earl</u>						
•		Length Sar	ne as	Check Va	riety:						
	<u>6•</u>	0 cm Longer Than		Check Va	riety: <u>Bengal</u>						
	_2	Height Class:	1 = Semi o	dwarf	2 = Short	3 = Medium	4 = Tall				
	_2	nternode Color (Afte	er Flowering)):	1 = Green	2 = Light Gold	3 = Purple Lines	4 = Purple			
	_3	Strength (Lodging R	lesistance):		1 = Strong (no Lo 5 = Intermediate (9 = Very Weak (A	Most Plants Lodged		y Strong (Most Plan st Plants Flat)	ts Leaning)		
3.	FLAG	LEAF (After Headi	ing):	-							
	<u>41 •</u>	2 cm Length			<u>1</u>	6 • 1 mm Width			••		
	_1	Pubescence:	1 = Glabro	ous	2 = Intermediate	3 = Pubescent					
	_3	Leaf Angle (After F	leading):		1 = Erect	3 = Intermediate	5 = Horizontal	7 = Descending			
	_3	Blade Color:	1 = Pale G 5 = Purple		2 = Green 6 = Purple Blotch	3 = Dark Green 7 = Purple	4 = Purple Tips		:		
	_1	Basal Leaf Sheath	Color:		1 = Green	2 = Purple Lines	3 = Light Purple	4 = Purple			
4.	LIGUL	E:								<u> </u>	
	<u>9•1</u>	mm Length (From I	base of colla	ar to the tij	p, at late vegetative	stage)		•			•
	1	Color (Late Vegetat	tive Stage):		1 = White	2 = Purple Lines	3 = Purple				
		Shape:	1 = Acute t			2 = 2-Cleft	3 = Truncate				
		Collar Color (Late V			1 = Pale Green	2 = Green	3 = Purple				
		Auricle Color (Late		• .	1 = Pale Green	2 = Purple	o = r dipio				
5.	PANIC	LE:					 				
	<u>20 •</u>	<u>∙ 0</u> cm Length					. *.				
	2	Туре:	1 = Compa	ıct 5 =	Intermediate	9 = Open					
	_2	Secondary Branchi	ing:	1 = A	bsent	2 = Light	3 = Heavy	4 = Clustering			
	_2	Exsertion (Near Ma	aturity):	1 = L	ess than 90%	2 = 90 - 99%	3 = 100% Exserted			•	
	1	Axis:	1 = Straigh	t	2 = Droopy						
	_1	Shattering:	1 = Very Lo 7 = Modera		Гhan 1%) (26 – 50%)	3 = Low (1 – 5%) 9 = High (More than	5 = Moderate (6 – 2 1 50%)	25%)			
	2	Threshability:	1 = Difficult	t 2=	: Intermediate	3 = Easy					
6.	GRAIN	(Spikelet):					· .	:			
	_0	Awns (After Full He	eading):		0 = Absent 7 = Long and Parti	1 = Short and l y Awned	Partly Awned 9 = Long and Fully	5 = Short and Fully Awned	Awned		
	_2	Apiculus Color (At I	Vlaturity):	•	1 = White 5 = Red Apex	2 = Straw 6 = Purple	3 = Brown (Tawny) 7 = Purple Apex	4 = Red			
*	_1	Stigma Color:	1 = White	2 =	Light Green	3 = Yellow 4	= Light Purple	5 = Purple	,		,

														EXHIBIT C (N
6.	GRAI	N (Spikelet):				•		Ф	A A	£	<i>6</i> \ <i>6</i> \	`	4	
	_0	Lemma and Palea Color (Al	: Maturity):					L	00	#25 1	VV) [5
		0 = Straw 3 = Brown Furrows on Stra 6 = Purple Spots on Straw 9 = Black	w	1 = Gold and/or Go 4 = Brown (Tawny) 7 = Purple Furrows 10 = White)	on Straw Backgro	und	2 = Brow 5 = Redd 8 = Purpl	ish to L				ald)	-
	2	Lemma and Palea Pubesce	ence:	1 = Glabrous 4 = Short Hairs		on Lemma Keel Hairs (Velvety)	3 = Hai	rs on Upper	Portion					
	1	Spikelet Sterility (At Maturit	y):	1 = Highly Fertile 7 = Highly Sterile	(> 90%) (< 50% to	3 = Fertile (75 - 90 Trace) 9 = Con	0%) npletely St	5 = Partly erile (0%)	/ Sterile	(50	- 74%)		
7.	GRAII	N (Seed):		· · · · · · · · · · · · · · · · · · ·						·				
		Seed Coat (Bran) Color:	1 = White 5 = Red		t Brown able Purple	3 = Spe 7 = Purp	ckled Brov	wn	4 = Br	own				
	1	Endosperm Type:	1 = Nong	lutinous (Nonwaxy)		2 = Glutinous (Wa	xy)	3 = Indete	erminat	е				
	5	Endosperm Translucency:	1 = Clear		5 = Intern	nediate	9 = Opa	que						
	5	Endosperm Chalkiness:	0 = None 5 = Mediu	ım (10 – 20% of Saı	mple)	1 = Small (Less the 9 = Large (More th								
	0	Scent (Aroma):	0 = Nonse	cented	1 = Lightl	y Scented	2 = Sce	nted						
		Shape Class (Length/Width	Ratio):											
	_1	Paddy	1 = Short	(2.2:1 and Less)	2 = Mediu	ım (2.3:1 to 3.3:1)	3 = Lon	g (3.4:1 and	More)					
	_1	Brown	1 = Short	(2.0:1 and Less)	2 = Mediu	ım (2.1:1 to 3.0:1)	3 = Lon	g (3.1:1 and	More)					
	_1	Milled	1 = Short	(1.9:1 and Less)	2 = Mediu	ım (2.0:1 to 2.9:1)	3 = Lon	g (3.0:1 and	More)					
		Measurements: Grain Form	Length (mm)	Width (mm)	Thic (mm	kness)	L/W Ratio	1000 Gra (grams)	ins					
		Paddy	7.26	<u>3.47</u>	2.2	<u>28</u>	<u>2.09</u>	<u>25.6</u>						
		Brown	<u>5.13</u>	<u>2.94</u>	<u>2.0</u>	<u>)4</u>	<u>1.74</u>	<u>22.3</u>						
	•	Milled	4.92	2.83	<u>1.9</u>	99	<u>1.74</u>	20.0						
	19.3	Milling Quality (% Hulls)		<u>64.3</u> Mil	lling Yield (% While Kernel (he	ad) Rice t	o Rough Ri	ce)			:		
	6.8	% Protein		<u>14.3</u> %	Amylose									
Alk	ali Spr	eading Value:	1.5% KC	OH Solution		<u>6</u> 1.7% KOH S	olution							
	_7	Gelatination Temperature Ty	pe:	1 = High		5 = Intermediate		7 = Low						
	Amyl	ographic Paste Viscosity (Bra	abender Uni	ts)										
	Peak	Hot Past	e	Cooled P	'aste	'Breakdown' 'S	etback'							
					•		-	•						
8.	RESIS	TANCE TO LOW TEMPERT	JRE:											
	2	Germination and Seedling Vi	gor:	1 = Low		2 = Medium	3 = High	ı						
	_2	Flowering (Spikelet Fertility):	-	1 = Low		2 = Medium	3 = High							
0	SEEDI	ING VIGOR NOT BELATED	TOLOW	EMBEDATURE										
J. 1		ING VIGOR NOT RELATED Vigor:	TO LOW T			O. Modium	0 15-1							
	<u>e</u>	vigot.		1 = Low		2 = Medium	3 = High	ı				٠		

															Exh	ibit C (Rice)
10. BLA	ST RESIS	TANCE:	(Pyicularia o	ryzae).	(Internatio	onal races f	ound und	er Referer	ces)			201) 4	00	1	
0 = 1	mmune	1	= Resistant	3 =	Moderate	ly Resistan	nt 5=	Intermedia	te 7 =	Moderate	ly Suscept	tible	9 = 5	Susceptib	le	
Group			lВ			IC		ID		IE	IG	IH		·		
Number	. 1	5	45	49	54	1	17	1	13	1	1	1	-			
Resistance	e <u>-</u>	<u>-</u>	ے	2	<i>,=</i>		. <u>.2</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>.=</u>	<u> -</u> '				
11. RESI	STANCE	то отн	ER DISEASE	 ES:											•	
0 = I	mmune	1	= Resistant	3 =	Moderate	ely Resistan	nt 5=	Intermedia	te 7=	Moderate	ely Suscept	tible	9 = 9	Susceptib	le	
1	Narrow B	rown Le	af Spot (<i>Cerc</i>	spora c	ryzae)			Ag	gregate Si	neath Spo	t (<i>Rhizoct</i> o	onia Oryza	ae-sativ	ae)		•
1	Leaf Smu	ıt (<i>Entyl</i> o	oma oryzae)					1 St	aight Hea	d			•		٠	
1	Brown Le	af Spot	(Helminthosp (=Bipolaris ((=Drechsler	oryzae)				<u>5</u> Ke	rnel Smut		ia horrida) a barclayaı					
	Leaf Scale	d (<i>Gerla</i>	chia oryzae)					Wh	ite Tip Ne	matode (A	\phelencho	oides bess	seyi)			
_=	Hoja Blan	ca Virus						Ste	m Rot (So	elerotium d	oryzae)					
5	Sheath R	ot (<i>Saro</i>	cladium oryza	a <i>e</i>)												
	Pythium S	eedling	Blight (<i>Pythit</i>	ım sp.)				<u>5</u> Ba	cterial Blig	ht (<i>Xanth</i>	omonas ca	ampestris	pv. oryz	zae)		
_=	Sheath Sp	oot (<i>Pihiz</i>	zoctonia oryza	a <i>e</i>)				<u>3</u> Sh	eath Bligh	t (<i>Rhizoct</i> e	onia solani	n)				
	Other:	····														
12. INSE	CT RESIS	TANCE:									. 2 17 1001 110111 11					
0 = I	mmune	1	= Resistant	3 =	Moderate	ly Resistan	t 5=1	ntermedia	e 7=	Moderate	ly Suscept	tible	9 = 8	usceptib	le	
_ 	Grasshop	per						_9 Ric	e Stink Bu	ıg (<i>Oegalı</i>	us pugnax))				
	Rice Leaf	hopper						Sw	arm Cater	pillar						
	Rice Hisp	a						<u>9</u> Ric	e Water V	Veevil (<i>Lis</i>	sorhoptrus	s oryzophi	ilus)			
	Rice Mido	ie						5 Bio	e Stalk Bo	rer (<i>Chilo</i>	pleiadellu	s)				

13. OTHER DESCRIPTORS: If there are other characters that describe this variety, please indicate below:


REFERENCES


5 Rice Stalk Borer (Chilo plejadellus)

_- Sugarcane Borer (Diatraea saccharalis)

- C. R. Adair et al. 1972. Rice in the United States: Varieties and Production. USDA Handbook No. 289 (Rev.), 124 pp.
- J. G. Atkins et al. 1967. An International Set of Rice Varieties for Differentiating Race of Pyricularia Oryzae. Phytopath. 57:297-301.
- IBPGR-IRRI Rice Advisory Committee. 1980. Descriptors for Rice Oryzae sativa L. International Rice Research Institute. 21 pp.
- K. C. Ling and S. H. Ou, 1969. Standardization of the International Race Numbers of *Pyricularia Oryzae*. Phytopath. 59:339-342.
- B. D. Webb et al. 1985. Utilization Characteristics and Qualities of United States Rice. In Proceedings on Rice Grain Quality and Marketing. International Rice Research Institute (IRRI), Los Branos, Philippines. P. 25-35.

Least Skipper





2003 Commercial Advanced Rice Test Rice Research Station, Crowley, La

<u> </u>			Days to 50%	Height	,	Mil. %	Mil. %	Grain	Ratoon	TOTAL	
		VIGOR	Heading	(cm)	% Ldg	Whole Gr	Total Gr	Yield	Yield	YIELD	
201	CL 121	2	20	92		71.0	74.1	5513	2463	9262	
202	CL 141	4	75	121		67.3	72.0	7184	2502	9896	
203	CL 161	4	92	107		71.9	75.2	6416	2605	9021	
204	COCODRIE	4	20	26		67.5	72.6	7953	1933	9886	
205	CYPRESS	3	73	86		70.2	74.6	6837	2544	9381	
206	CHENIERE	5	73	66		6.69	75.1	7008	1758	8766	
207	FRANCIS	4	74	111		64.6	71.5	7451	2475	9926	
208	WELLS	4	92	112		65.6	73.2	6938	2570	9208	
209	SABER	4	72	104		69.2	9.07	6158	3517	9675	
210	AHRENT	5	69	110		67.3	71.0	6229	2046	8305	
211	PRISCILLA	6	74	101		66.3	71.2	7469	4060	11529	
212	JEFFERSON	9	99	63		63.8	68.7	5957	2820	8777	
213	MAYBELLE	5	64	104		63.1	68.5	6564	1568	8132	
214	PIROGUE	5	74	104		70.1	72.8	4949	2339	7288	
215	BENGAL	4	74	100		9.69	72.7	6441	2936	9377	
216	EARL	4	74	113		72.3	74.7	8669	3018	10016	
217	DELLROSE	9	71	105		70.0	73.3	6023	3982	10005	
218	DELLA	5	75	137	17	60.1	69.1	4941	1122	6063	
219	DELLMATI	5	29	123	57	57.1	68.0	3658	2591	6249	
220	0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT	ည	69	100		67.9	72.8	7035	2113	9148	
221	0302005(URN 005) TACAURI/3/CPRS//82CAY21/TBNT	2	70	100		2.99	72.0	7597	3184	10781	
222	0202008 (URN 008) CPRS//82CAY21/TBNT/	5	99	109		65.1	70.4	8036	2714	10750	63
223	0302022 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT	9	70	29		8.69	73.7	6663	2993	9656	
224	0202195 (URN 034) NWBT/KATY//9902207x7	4	69	86		66.7	72.3	8055	1936	9991	0
225	0202192 (URN 045) DREW/3/CPRS//82CAY21/TBNT	5	71	102		69.7	72.9	7570	2979	10549	L.
226	0202048 (URN 048) LM-1	7	73	06		66.2	72.8	6918	3747	10665	n (
227	0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121	4	70	101		64.1	8.69	7062	1585	8647	
228	0102068 (URN 068) 9502008/LGRU	5	71	66		69.4	72.6	7407	2730	10137	
229	0302082 (URN 082) 9502008-A/DREW	5	29	26		68.0	72.7	8401	2268	10669	
230	0302094 (URN 094) 9502008-A/DREW	ıçı	69	101		67.8	72.2	8486	1753	10239	
231	0302097 (URN 097) 9502008-A/TACAURI	9	20	93		67.8	72.7	6157	2257	8414	
١											

200400715

1336.6

4.0

5.0

1.8

2.1

1.0

LSD (0.05)

1			Days to 50%	Height		Mil. %	Mil. %	Grain	Ratoon	TOTAL	
	rebighte	VIGOR	Heading	(cm)	% Ldg	Whole Gr	Total Gr	Yield	Yield	YIELD	٠
737	0202103 (URN103) CPRS/DREW	9	73	105		6.69	73.9	7505	2889	10394	
233	0002140 (URN 025) JSMN/DLLA	5	76	101		58.1	65.2	5391	2625	8016	
234	0202183 (URN 031) 9502065/3/BNGL//MERC/RICO	5	74	98		69.1	71.2	8153	3330	11483	
235	0002146 (URN 028) ORIN//MERC/RICO//	5	72	108		70.0	72.2	8258	4312	12570	
236	0302140 (URN 140) BNGL/IV4916/STRN	4	73	66		72.9	74.8	8969	2704	9672	
237	0302146 (URN 146) BNGL/9502065	5	74	95		72.2	74.2	5958	3975	9933	
238	0302137 (URN 137) DLMT//DLMT//B846273-710	4	70	117	43	60.3	70.3	5989	3158	9147	
239	0302125 (URN 125) JSMN/DLLA//LEAH/DLLA	4	89	107		66.7	71.4	6728	2802	9530	
240	0302011 (URN011) AC105DH2/AC101DH2	4	69	100		67.3	72.3	6328	2098	8426	
241	0302042 (URN 042) 9863304DH2	9	-45	132		57.6	67.0	3529	5595	9124	
242	0302051 (URN 051) AC105DH2/AC110DH2	4	89	91		63.3	70.0	7153	2067	9220	
243	0302062 (URN 062) CCDR/98PIM0141	4	29	103		65.7	71.4	5287	3243	8530	
244	0302071 (URN 071) AC122DH4	4	74	105		70.8	73.9	7541	3543	11084	
245	0302085 (URN 085) AC105DH2/AC110DH2	4	72	103		69.7	73.0	6447	2839	9286	
246	0302088 (URN 088) AC105DH2/AC110DH2	5	71	107	10	64.8	68.4	6701	2027	8728	
247	0302091 (URN 091) AC176DH1/9959322DH2	9	72	104		68.4	73.0	6149	3898	10047	
248	0302128 (URN 128) CCDR/98PIM0151	4	74	106		71.2	74.5	7356	3022	10378	
249	0302149 (URN 149) CCDR/98LL0401	2	7.1	103		2.99	69.2	6926	2115	9044	
250	TX 9092	5	70	96		66.5	70.7	6266	4006	10272	
251	TX 8181	7	69	104		68.9	72.4	7153	1618	8771	
252	AR 0101093 (URN 004) 9101001//TBNT/KATY/3/LGRU	4	65	110	53	64.1	71.1	6421	3190	9611	
253	AR 0001124 (URN 013) CPRS/NWBT/KATY	4	71	102		70.0	73.1	7024	3061	10085	
254	AR 0001151 (URN 021) BNGL/SHORT-RICO	5	74	96		70.1	73.2	6582	3598	10180	
255	MS 0204114	9	73	103		0.99	71.7	5397	3626	9023	
256	XL 7	5	69	115	09	63.6	72.4	6577	4331	10908	0
257	XL 8	4	72	114	77	64.7	73.7	6838	4010	10848	
258	CLXL 8	5	76	121	10	63.6	71.4	7888	4969	12857	0 (
259	XP 710	9	76	115		61.4	70.3	7768	4521	12289	
260	XP 712	4	74	119		67.3	71.8	7908	6152	14060	
	A PARAMANANA MARAMANA	2.0	7	1		c	0	0 0			
. د		13.5	9.1	O		χ. Σ	2.8	12.3		*****	į.



2003 Commercial Advanced Rice Test Rice Research Station, Crowley, La

2003 Commercial Advanced Rice Yield Test Vermilion Parish, Lake Arthur, La

CL 121 Uays to Days CL 121 Vigor Heading CL 121 6 74 CL 141 5 78 CL 161 4 82 CCCODRIE 4 78 CYPRESS 4 78 CHENIERE 6 80 CHENIERE 6 70 CHENIERE 6 70 WELLS 4 77 AHRENT 4 77 PRISCILLA 6 6 MAYBELLE 6 66 PRISCILLA 7 7 MAYBELLE 6 66 PRISCILLA 6 66 MAYBELLE 7 7 DELLA 7 7 DELLA 5 8 DELLA 5 8 DELLA 7 7 DELLA 6 6 0220202 (URN 002) TACAURIS/GCAY2/TIBNT 7 7 0202022 (URN 0										
PEDIONEE Vigor Heading CL 121 CL 141 CL 141 CL 141 CL 141 5 78 CL 161 4 78 78 CL 161 4 78 78 COCODRIE 4 78 78 CYPRESS 4 78 80 WELLS 5 80 77 AHRENT 4 77 79 PRISCILLA 6 7 78 AHRENT 6 7 7 PRISCILLA 6 7 7 BENGAL 7 7 7 BENGAL 5 80 7 BENGAL 5 80 7 DELLRACIA 5 7 7 DELLA 7 7 7 DELLA 6 66 66 DELLA 7 7 7 DELLA 7 7 7 DELLA <th>7</th> <th></th> <th>1</th> <th>50%</th> <th>Height</th> <th>Mil. %</th> <th>Mil. %</th> <th>Grain</th> <th>Ratoon</th> <th>Total</th>	7		1	50%	Height	Mil. %	Mil. %	Grain	Ratoon	Total
CL 121 CL 121 6 74 CL 141 5 78 CL 161 4 82 CCCODRIE 4 78 CYPRESS 4 81 CHENIERE 4 78 CHENIERE 4 78 CHENIERE 4 70 WELLS 5 80 SABER 4 77 AHRENT 4 77 PRISCILLA 4 77 PRISCILLA 6 66 JEFFERSON 6 7 MAYBELLE 7 7 BENGAL 5 80 BENGAL 5 80 DELLA 7 7 DELLA 7			Vigor	Heading	(cm)	Whole Gr	Total Gr	Yield	Yield	Yield
CL 141 5 78 CL 161 4 82 CCCODRIE 4 78 CYPRESS 4 78 CYPRESS 4 78 CYPRESS 4 78 CHENIERE 6 80 FRANCIS 4 79 WELLS 8 80 SABER 4 79 AHRENT 4 77 PRISCILLA 6 7 MAYBELLE 6 66 PIROGUE 5 7 BENGAL 5 7 DELLROSE 7 7 DELLROSE 7 7 DELLMATI 6 66 DELLMATI 6 66 0202002 (URN 005) TACAURIJAICPRS//BZCAYZ1/TBNT 7 7 0202002 (URN 005) DEWISS//BZCAYZ1/TBNT 6 7 0202022 (URN 005) DEWISS//BZCAYZ1/TBNT 7 7 0202024 (URN 0045) DREWISS//BZCAYZ1/TBNT 7 7	204		9	74	97	64.6	70.2	5186	2236	7422
CL 161 4 82 COCCDRIE 4 78 CYPRESS 4 78 CYPRESS 4 81 CHENIERE 6 80 FRANCIS 4 73 WELLS 4 77 SABER 4 77 AHRENT 4 77 PRISCILLA 6 6 MAYBELLE 6 66 PIROGUE 7 7 BENGAL 7 7 DELLROSE 6 66 DELLROSE 7 7 DELLROSE 7 7 DELLROSE 6 66 OBELLA 5 81 DELLA 5 7 DELLA 6 6 OBCOCOGUINO 002) 95020003/CPRS//BZCAY21/TBNT 6 6 03020022 (URN 003) ALM-1 7 7 0202022 (URN 048) LM-1 6 7 02020248 (URN 048) LM-1 7 <t< td=""><td>202</td><td>- 1</td><td>5</td><td>78</td><td>124</td><td>60.3</td><td>6.79</td><td>5244</td><td>2679</td><td>7923</td></t<>	202	- 1	5	78	124	60.3	6.79	5244	2679	7923
COCCODRIE 4 78 CYPRESS 4 81 CYPRESS 4 81 CHENIERE 6 80 FRANCIS 4 79 WELLS 5 80 SABER 4 79 AHRENT 4 77 PRISCILLA 6 7 MAYBELLE 6 66 PIROGUE 7 7 BENGAL 5 80 EARL 7 7 DELLROSE 7 7 DELLROSE 6 66 DELLROSE 7 7 DELLROSE 7 7 DELLROSE 6 6 DELLROSE 6 6 DELLROSE 7 7 DELLROSE 6 6 DELLROSE 6 6 DELLROSE 6 6 DELLA 7 7 DECLRA 7	203	CL 161	4	82	106	63.8	62.3	5083	2325	7408
CYPRESS 4 81 CHENIERE 6 80 FRANCIS 4 79 WELLS 4 79 SABER 6 79 AHRENT 4 77 PRISCILLA 6 7 AHRENT 7 78 PRISCILLA 6 66 MAYBELLE 6 66 PIROGUE 7 7 BENGAL 5 80 EARL 5 80 DELLROSE 7 7 DELLRATI 6 66 DELLMATI 6 66 0202002/URN 002) 5402008/3/CPRS//82CAY2/TBNT 5 77 0302006/URN 005) TACAURI/3/CPRS//82CAY2/TBNT 6 76 02020195 (URN 045) DREW/3/CPRS//82CAY2/TBNT 7 77 02020216/URN 045) DREW/3/CPRS//82CAY2/TBNT 7 7 02020266 (URN 048) LM-1 9 76 03020065 (URN 065) 9502008/LGRU 9 76 03020065 (URN 065	204		4	78	104	63.9	71.9	6694	2295	8989
CHENIERE 6 80 FRANCIS 5 80 WELLS 4 79 SABER 4 79 SABER 6 79 AHRENT 4 77 PRISCILLA 6 7 JEFFERSON 6 66 MAYBELLE 7 78 PIROGUE 7 78 BENGAL 5 80 EARL 5 81 DELLAGOSE 7 7 DELLAATI 6 66 DELLAATI 6 66 DELLAATI 6 66 OZOZOZOZO (URN OZ) TACAURUZI/CPRS//REZCAYZ1/TBNT 5 77 OZOZOZOZ (URN OGS) TACAURUZI/CPRS//REZCAYZ1/TBNT 5 76 OZOZOZOZ (URN OGS) DREW//SI/CPRS//REZCAYZ1/TBNT 7 77 OZOZOZOZ (URN OGS) BOEZOZOZ/PRS//REZCAYZ1/TBNT 4 77 OCZOZOZOZ (URN OGS) BOEZOZOZ/PRS//REZCAYZ1/TBNT 6 76 OZOZOZOZ (URN OGS) BOEZOZOZ-ADREW 4 77	205	\neg	4	81	103	63.8	69.3	5637	2447	8084
FRANCIS 5 80 WELLS 4 79 SABER 4 79 AHRENT 4 77 PRISCILLA 7 69 JEFFERSON 6 66 MAYBELLE 6 66 PIROGUE 7 78 BENGAL 5 80 EARL 5 80 DELLROSE 7 7 DELLRATI 6 66 0202000 (URN 002) TACAURI/3/CPRS//82CAY2/TBNT 5 75 0302005 (URN 005) TACAURI/3/CPRS//82CAY2/TBNT 5 77 0202195 (URN 005) TACAURI/3/CPRS//82CAY2/TBNT 6 69 0202195 (URN 005) DREW/3/CPRS//82CAY2/TBNT 7 77 0202195 (URN 045) DREW/3/CPRS//82CAY2/TBNT 7 77 0202006 (URN 048) LM-1 9 76 0302006 (URN 065) 9602008/CRN 4 78 0402008 (URN 068) 9602008/CRN 4 78 0402008 (URN 068) 9602008/DREW 7 7	206		9	80	100	61.7	70.4	6054	2419	8473
WELLS 4 79 SABER 6 77 AHRENT 4 77 PRISCILLA 7 69 JEFFERSON 6 66 MAYBELLE 6 66 PIROGUE 7 7 BENGAL 5 80 BENGAL 5 81 DELLROSE 7 77 DELLROSE 6 66 DELLA 5 81 DELLLMATI 6 66 0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT 5 7 0202002 (URN 003) TACAURI/3/CPRS//82CAY21/TBNT 5 7 0202020 (URN 003) TACAURI/3/CPRS//82CAY21/TBNT 5 7 0202195 (URN 003) DREWI/3/CPRS//82CAY21/TBNT 7 7 0202195 (URN 004) DREWI/3/CPRS//82CAY21/TBNT 7 7 0202046 (URN 005) 9502008/CPRS//82CAY21/TBNT 4 77 0302006 (URN 005) 9502008/DREWI 4 78 0302008 (URN 005) 9502008/DREWI 7 7 0302008 (UR	207		5	80	116	60.3	68.8	5570	2751	8321
SABER 6 79 AHRENT 4 77 PRISCILLA 4 77 JEFFERSON 6 66 MAYBELLE 6 66 PIROGUE 7 78 BENGAL 5 80 BENGAL 5 80 BENGAL 5 80 DELLROSE 7 77 DELLROSE 7 77 DELLROSE 6 66 0202002 (URN 002) PGO2003/3/CPRS//82CAY21/TBNT 5 75 0302005 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 6 69 03020195 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 7 77 0202195 (URN 034) NWBT/KATY//9902207x7 6 76 0202195 (URN 045) DREW//3/CPRS//92CAY21/TBNT 7 77 0202046 (URN 048) LM-1 7 77 0202046 (URN 048) BO20008/CPRS//92CAY21/TBNT/3/AR-1121 4 77 01020082 (URN 082) 9602008/CPR 6 7 77 01020082 (URN 082) 9502008/CPR 7 7 <td>208</td> <td>WELLS</td> <td>4</td> <td>79</td> <td>110</td> <td>59.2</td> <td>69.5</td> <td>7110</td> <td>2516</td> <td>9626</td>	208	WELLS	4	79	110	59.2	69.5	7110	2516	9626
AHRENT 4 77 PRISCILLA 6 78 JEFFERSON 7 69 MAYBELLE 6 66 PIROGUE 7 78 BENGAL 5 80 BENGAL 7 7 DELLROSE 7 7 DELLROSE 6 66 0202002 (URN 002) FACAURI/3/CPRS//82CAY21/TBNT 6 66 0202006 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202006 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202195 (URN 034) NWBT/KATY//9902207x7 6 77 0202195 (URN 045) DREW/3/CPRS//82CAY21/TBNT 7 77 0202046 (URN 045) DREW/3/CPRS//82CAY21/TBNT 4 77 0202046 (URN 048) SOCO08/CPRS//82CAY21/TBNT 5 79 0302066 (URN 082) 9602008/CPRS//78CAY21/TBNT 7 77	209	SABER	9	79	105	6.99	70.7	6047	3115	9162
PRISCILLA 6 78 JEFFERSON 7 69 MAYBELLE 6 66 PIROGUE 7 78 BENGAL 5 80 BENGAL 5 80 EARL 5 80 DELLROSE 7 77 DELLROSE 7 77 DELLMATI 6 66 0202003 (URN 002) 9502008/3/CPRS//82CAY21/TBNT 4 78 0302005 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 5 77 03020202 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 5 76 0202192 (URN 024) NWBT/KATY//9902207x7 6 76 0202192 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0202048 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0202048 (URN 065) 9502008/LGRU 5 79 0302065 (URN 065) 9502008/LGRU 5 79 0302062 (URN 065) 9502008-ADREW 4 78	210		4	77	114	63.6	68.2	5397	1861	7258
JEFFERSON 7 69 MAYBELLE 6 66 PIROGUE 7 78 BENGAL 5 80 EARL 5 79 DELLROSE 7 77 DELLROSE 7 77 DELLLAATI 6 66 0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT 5 75 0302005(URN 005) TACAURI/3/CPRS//82CAY21/TBNT 6 69 0302002 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202195 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 6 76 0202195 (URN 045) DREW/3/CPRS//82CAY21/TBNT 7 77 0202195 (URN 048) LM-1 9 76 03020048 (URN 048) BREW/3/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0302005 (URN 068) 9602008/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0302008 (URN 068) 9602008/CRU 6 7 0302008 (URN 068) 9602008/CRU 7 7 0302008 (URN 068) 9602008/CRU 7 7 0302008 (URN 068) 9602008/CRU 7 7 <td>211</td> <td>PRISCILLA</td> <td>6</td> <td>78</td> <td>106</td> <td>2.09</td> <td>70.7</td> <td>5214</td> <td>3091</td> <td>8305</td>	211	PRISCILLA	6	78	106	2.09	70.7	5214	3091	8305
MAYBELLE 6 66 PIROGUE 7 78 BENGAL 5 80 EARL 5 79 DELLROSE 7 77 DELLROSE 7 77 DELLAATI 6 66 0202002 (URN 002) 9502008/3/CPRS///82CAY21/TBNT 5 75 0302005(URN 005) TACAURI/3/CPRS///82CAY21/TBNT 6 69 0302022 (URN 005) TACAURI/3/CPRS///82CAY21/TBNT 5 77 0202195 (URN 034) NWBT/KATY//9902207x7 6 76 0202195 (URN 045) DREW/3/CPRS///82CAY21/TBNT 7 77 0202048 (URN 045) DREW/3/CPRS///82CAY21/TBNT 7 77 0302065 (URN 065) 9602008/LGRU 9 76 0302065 (URN 065) 9602008/LGRU 5 79 0302082 (URN 065) 9502008/LGRU 4 78	212		7	69	66	63.8	70.4	6020	3104	9124
PIROGUE 7 78 BENGAL 5 80 EARL 5 79 DELLROSE 7 77 DELLROSE 7 77 DELLAMTI 6 66 66 0202002 (URN 002) 9502008/3/CPRS///82CAY21/TBNT 4 78 0302002 (URN 005) TACAURI/3/CPRS///82CAY21/TBNT 6 69 0302002 (URN 005) TACAURI/3/CPRS///82CAY21/TBNT 5 77 0202195 (URN 034) NWBT//KATY///8902207x7 6 76 0202195 (URN 045) DREW//3/CPRS///82CAY21/TBNT 7 77 0202048 (URN 065) 9602082/CPRS///82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 065) 9602082/CPRS///82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 065) 9602082/CPRS///REW 4 78	213		9	99	110	62.9	9.69	5118	1912	7030
BENGAL 5 80 EARL 5 79 DELLROSE 7 77 DELLA 5 81 DELLA 6 66 DELLA 5 81 DELLA 6 66 0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT 5 75 0302005 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 6 69 0302022 (URN 02) TACAURI/3/CPRS//82CAY21/TBNT 7 77 0202195 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0202192 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0202048 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 78 0102088 (URN 082) 9502008-ADREW 4 78	214	PIROGUE	7	78	110	9.89	71.7	5925	3077	9002
EARL 5 79 DELLROSE 7 77 DELLRA 5 81 DELLMATI 6 66 0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT 5 75 0302005(URN 005) TACAURI/3/CPRS//82CAY21/TBNT 6 69 0202008 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202195 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0202195 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0202048 (URN 045) DREW//3/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 065) 9602008-ADREW 4 78	215		5	80	104	67.6	72.2	6305	3888	10193
DELLROSE 7 77 DELLA 5 81 DELLA 6 66 DELLMATI 6 66 0202002 (URN 002) 9502008/3/CPRS///82CAY21/TBNT 5 75 03022005 (URN 005) TACAURI/3/CPRS///82CAY21/TBNT 4 78 0202202 (URN 005) TACAURI/3/CPRS///82CAY21/TBNT 5 77 0202195 (URN 022) TACAURI/3/CPRS///82CAY21/TBNT 5 76 0202195 (URN 049) LM-1 7 7 77 0202195 (URN 049) LM-1 9 76 0302066 (URN 065) 9602008/LGRU 5 79 0102068 (URN 065) 9502008/LGRU 4 78	216	EARL	5	62	118	68.0	73.3	8021	3064	11085
DELLA 5 81 DELLMATI 6 66 DELLMATI 6 66 0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT 4 75 0202008 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 6 69 0302022 (URN 008) CPRS//82CAY21/TBNT/ 6 69 0202195 (URN 034) NWBT/KATY//9902207x7 6 77 0202192 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0202192 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0302065 (URN 048) LM-1 9 76 0102068 (URN 065) 9602008/LGRU 5 79 0102068 (URN 082) 9502008-A/DREW 4 78	217	DELLROSE	7	7.7	110	8.99	71.5	5111	2982	8093
DELLMATI 6 66 0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT 5 75 03022005 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 4 78 0202002 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 6 69 0302022 (URN 002) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202195 (URN 034) NWBT/KATY//9902207x7 6 76 0202195 (URN 045) DREW/3/CPRS//82CAY21/TBNT 7 77 0202048 (URN 048) LM-1 9 76 0102068 (URN 065) 9602008/LGRU 5 79 0102068 (URN 062) 9502008-A/DREW 4 78	218		5	84	144	59.2	67.4	3864	1553	5417
02020002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT 5 75 0302005(URN 005) TACAURI/3/CPRS//82CAY21/TBNT 4 78 0202008 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202195 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202195 (URN 045) DREW/3/CPRS//82CAY21/TBNT 7 77 0202192 (URN 048) LM-1 9 76 0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 068) 9502008/LGRU 5 79 0302082 (URN 082) 9502008-A/DREW 4 78	219	DELLMATI	9	99	125	60.4	68.7	3752	2701	6453
0202005 (URN 005) TACAURI/3/CPRS//82CAY21/TBNT 4 78 0202008 (URN 008) CPRS//82CAY21/TBNT 6 69 0302022 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202195 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0202192 (URN 045) DREW//3/CPRS//82CAY21/TBNT 7 77 0202048 (URN 045) LM-1 9 76 0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 068) 9502008/LGRU 5 79 0302082 (URN 082) 9502008-A/DREW 4 78	220	0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT	5.	75	104	63.6	69.3	6747	2077	8824
0202008 (URN 008) CPRS//82CAY21/TBNT 6 69 03022022 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202195 (URN 034) NWBT/KATY//9902207x7 6 76 0202192 (URN 045) DREW/3/CPRS//82CAY21/TBNT 7 77 0202048 (URN 048) LM-1 9 76 0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 089) 9502008/LGRU 5 79 0302082 (URN 082) 9502008-A/DREW 4 78	221	0302005(URN 005) TACAURI/3/CPRS//82CAY21/TBNT	4	78	105	55.8	65.7	5684	2823	8507
0202192 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT 5 77 0202195 (URN 034) NWBT/KATY//9902207x7 6 76 0202192 (URN 045) DREW/3/CPRS//82CAY21/TBNT 7 77 0202048 (URN 048) LM-1 0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 068) 9502008/LGRU 5 79	222	0202008 (URN 008) CPRS//82CAY21/TBNT/	9	69	107	56.2	64.2	5958	2843	8801
0202192 (URN 034) NWBT/KATY//9902207x7 6 76 0202192 (URN 045) DREW/3/CPRS//82CAY21/TBNT 7 77 0202048 (URN 048) LM-1 9 76 0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 068) 9502008/LGRU 5 79	223	0302022 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT	5	77	100	61.1	8.69	5818	2897	8715
0202192 (URN 045) DREW/3/CPRS//82CAY21/TBNT 7 77 77 0202048 (URN 048) LM-1 9 76 77 97 77 0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 77 0102068 (URN 068) 9502008/LGRU 5 79 79 0302082 (URN 082) 9502008-ADREW 4 78 78	224	0202195 (URN 034) NWBT/KATY//9902207x7	9	9/	106	64.5	70.1	6871	2364	9235
0202048 (URN 048) LM-1 0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 068) 9502008/LGRU 5 79 0302082 (URN 082) 9502008-A/DREW 4 78	225		7	77	112	8.99	71.5	7202	2729	9931
0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121 4 77 0102068 (URN 068) 9502008/LGRU 5 79 0302082 (URN 082) 9502008-A/DREW 4 78	226		6	76	97	62.9	73.3	6087	3927	10014
0102068 (URN 068) 9502008/LGRU 5 79 0302082 (URN 082) 9502008-A/DREW 4 78	227	0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121	4	7.7	105	62.8	9.69	5743	2228	7971
0302082 (URN 082) 9502008-A/DREW 4 78	228		သ	79	105	63.2	8.69	6413	2887	9300
	229	0302082 (URN 082) 9502008-A/DREW	4	78	104	63.3	9.69	6089	3076	9885
030Z094 (UKN 094) 950Z008-A/DREW 4	230	0302094 (URN 094) 9502008-A/DREW	4	77	103	63.6	6'69	6277	2432	8709
231 0302097 (URN 097) 9502008-A/TACAURI 5 77 99	231	0302097 (URN 097) 9502008-A/TACAURI	5	77	66	64.2	71.3	6321	3107	9428

2003 Commercial Advanced Rice Yield Test Vermilion Parish, Lake Arthur, La

								-	
į			Days to 50%	Height	Mil. %	Mil. %	Grain	Ratoon	Total
EN I	PEDIGREE	Vigor	Heading	(cm)	Whole Gr	Total Gr	Yield	Yield	Yield
232	0202103 (URN103) CPRS/DREW	ည	88	109	61.4	68.2	6271	3045	9316
233	0002140 (URN 025) JSMN/DLLA	7	78	104	57.6	9.99	6310	2233	8543
234	0202183 (URN 031) 9502065/3/BNGL//MERC/RICO	9	78	105	68.5	72.5	7307	2813	10120
235	0002146 (URN 028) ORIN/IMERC/RICO//	9	77	111	63.8	70.8	8391	4362	12753
236	0302140 (URN 140) BNGL//V4916/STRN	5	82	106	67.1	71.9	5344	3292	8636
237	0302146 (URN 146) BNGL/9502065	9	77	103	68.7	72.6	6309	3762	10071
238	0302137 (URN 137) DLMT//DLMT//B846273-710	4	76	115	50.9	63.7	4364	2482	6846
239	0302125 (URN 125) JSMN/DLLA//LEAH/DLLA	5	73	109	62.9	70.7	5538	2857	8395
240	0302011 (URN011) AC105DH2/AC101DH2	2	75	105	9.89	73.2	5881	2411	8292
241	0302042 (URN 042) 9863304DH2	7	19	131	56.0	66.4	4466	3585	8051
242	0302051 (URN 051) AC105DH2/AC110DH2	9	78	101	61.7	68.9	5548	2918	8466
243	0302062 (URN 062) CCDR/98PIM0141	5	80	118	61.8	69.0	4900	2740	7640
244	0302071 (URN 071) AC122DH4	2	79	110	67.8	73.0	2229	3768	10545
245	0302085 (URN 085) AC105DH2/AC110DH2	4	81	108	64.7	69.4	5455	2655	8110
246	0302088 (URN 088) AC105DH2/AC110DH2	4	77	102	64.7	70.3	6347	2871	9218
247	0302091 (URN 091) AC176DH1/9959322DH2	5	77	108	64.0	71.3	5693	3377	9070
248	0302128 (URN 128) CCDR/98PIM0151	2	7.7	111	61.1	68.2	6463	2620	9083
249	0302149 (URN 149) CCDR/98LL0401	5	78	107	66.7	70.7	6550	2567	9117
250	TX 9092	7	9/	101	65.5	71.6	6215	3724	9939
251	TX 8181	တ	9/	108	61.8	69.4	5533	2726	8259
252	AR 0101093 (URN 004) 9101001//TBNT/KATY/3/LGRU	4	70	114	66.8	72.5	5563	3144	8707
253	AR 0001124 (URN 013) CPRS/NWBT/KATY	2	79	105	62.7	69.4	9969	2643	8609
254	AR 0001151 (URN 021) BNGL/SHORT-RICO	ß	79	66	64.9	6.07	5835	3552	9387
255	MS 0204114	7	77	110	45.7	70.3	5938	3306	9244
256	XL 7	9	72	120	61.2	72.1	5678	4019	2696
257	XL 8	2	78	113	62.0	71.8	8004	5243	13247
258	CLXL 8	9	78	120	55.7	68.2	7630	4560	12190
259	XP 710	9	62	118	59.9	71.3	7100	5284	12384
260	XP 712	2	79	119	60.2	69.5	7702	4889	12591
C.V.		10.4	1.7	3.3	5.3	3.8	10.9		
(SD (0.05)	.05)	6.0	2.2	5.9	6.7	5.3	1062.4		

Yield Test	
Advanced Rice	Fenton, La
2003 Commercial	Jeff Davis Parish,

		1						
ENT PEDIGREE	Vigor	50% Heading	Height (cm)	Mil. % Whole Gr	Mil. % Total Gr	Grain	Ratoon	Total
201 CL 121) സ	78) 66	61.2	70.5	5487	1624	7111
202 CL 141	4	79	115	65.5	70.5	5812	2069	7884
203 CL 161	4	82	101	70.0	72.8	3955	1936	5891
204 COCODRIE	4	78	68	65.7	70.0	6004	1868	7872
205 CYPRESS	4	83	96	70.1	73.0	9809	2157	8243
206 CHENIERE	2	80	97	68.2	72.4	6293	2260	8553
207 FRANCIS	ಬ	78	106	66.3	72.3	6874	2023	8897
208 WELLS	4	80	110	65.7	72.0	6718	1903	8621
209 SABER	4	80	100	68.3	70.5	5874	2881	8755
210 AHRENT	4	77	102	9.99	70.1	5052	1304	6356
211 PRISCILLA	9	62	96	64.8	71.2	6047	2720	8767
212 JEFFERSON	9	71	91	66.2	72.8	5555	2671	8226
213 MAYBELLE	ιΩ	89	104	9.09	71.6	3037	866	4035
214 PIROGUE	9	85	112	67.9	71.3	3771	1987	5758
215 BENGAL	4	85	26	67.9	71.3	5987	2699	8686
216 EARL	4	85	113	68.8	72.3	7823	2600	10423
217 DELLROSE	ည	6/	104	71.0	73.5	6161	2796	8957
218 DELLA	9	85	147	69.2	72.2	4722	1353	6075
219 DELLMATI	2	71	120	68.7	72.5	2330	1484	3814
220 0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT	4	75	94	65.4	9.69	5871	1751	7622
221 0302005(URN 005) TACAURI/3/CPRS//82CAY21/TBNT	5	75	92	61.6	69.1	5154	1900	7054
222 0202008 (URN 008) CPRS//82CAY21/TBNT/	5	69	6	64.9	9.69	4430	1488	5918
223 0302022 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT	5	92	95	63.8	68.8	4835	1574	6409
224 0202195 (URN 034) NWBT/KATY//9902207x7	4	77	92	69.5	73.4	6692	1911	8603
225 0202192 (URN 045) DREW/3/CPRS//82CAY21/TBNT	5	92	97	68.5	71.9	6701	2047	8748
226 0202048 (URN 048) LM-1	7	83	95	67.7	73.3	6112	3202	9314
227 0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121	4	9/	92	67.2	7.1.7	4824	1333	6157
228 0102068 (URN 068) 9502008/LGRU	5	79	96	0.89	71.8	6474	2672	9146
229 0302082 (URN 082) 9502008-A/DREW	4	22	89	2.99	72.4	4845	2098	6943
230 0302094 (URN 094) 9502008-A/DREW	4	77	93	68.2	72.2	5579	1590	7169
231 0302097 (URN 097) 9502008-A/TACAURI	.C	92	85	68.8	72.4	5991	2388	8379

2003 Commercial Advanced Rice Yield Test Jeff Davis Parish, Fenton, La

232 00 233 00 234 00			Days to	10:44		1		[+ - -
	PEDIGREE	Vigor	ou% Heading	neignt (cm)	Mil. %	Mil. %	Grain	Katoon	lotal X:-1-
	0000 in ibnioa Cobernoew	5	200	(5)	1000	lotal G	rieia	rieid	Yield
	202 100 (CM 100) OF 100 EW	O	S.	3	0.17	73.8	277	2348	7370
	0002140 (URN 025) JSMN/DLLA	9	98	102	60.7	67.3	5522	1221	6743
T	0202183 (URN 031) 9502065/3/BNGL//MERC/RICO	9	83	66	65.8	69.3	6703	2384	2806
235 00	0002146 (URN 028) ORIN//MERC/RICO//	9	82	106	69.1	72.0	8288	2992	11280
	0302140 (URN 140) BNGL/N4916/STRN	4	83	95	71.4	74.6	5908	1915	7823
237 0	0302146 (URN 146) BNGL/9502065	5	83	95	70.4	73.0	6290	3407	2696
238 0	0302137 (URN 137) DLMT//DLMT//B846273-710	4	78	108	61.0	6.69	5511	1978	7489
239 03	0302125 (URN 125) JSMN/DLLA/ILEAH/DLLA	2	72	94	66.4	70.9	4041	1806	5847
240 03	0302011 (URN011) AC105DH2/AC101DH2	4	78	83	66.8	70.5	5340	1575	6915
241 0	0302042 (URN 042) 9863304DH2	2	88	125	58.8	68.6	5301	4465	92/6
242 00	0302051 (URN 051) AC105DH2/AC110DH2	5	77	83	63.2	8.69	4733	1722	6455
243 00	0302062 (URN 062) CCDR/98PIM0141	5	79	99	63.0	69.3	5556	2084	7640
244 00	0302071 (URN 071) AC122DH4	4	84	66	67.1	71.3	5554	2438	7992
245 03	0302085 (URN 085) AC105DH2/AC110DH2	4	82	97	69.1	73.0	5755	2236	7991
246 03	0302088 (URN 088) AC105DH2/AC110DH2	4	78	94	66.3	70.0	5703	1753	7456
247 00	0302091 (URN 091) AC176DH1/9959322DH2	3	75	93	9.79	73.4	5496	2076	7572
248 00	0302128 (URN 128) CCDR/98PIM0151	4	79	97	62.9	70.3	5308	2077	7385
249 00	0302149 (URN 149) CCDR/98LL0401	4	79	98	71.2	73.4	6681	2418	6606
250 T	TX 9092	7	77	96	69.5	72.8	5872	2991	8863
251 T	TX 8181	7	77	94	70.5	73.3	5997	2015	8012
252 A	AR 0101093 (URN 004) 9101001//TBNT//KATY/3/LGRU	4	71	104	0.99	71.7	2929	1754	4683
253 A	AR 0001124 (URN 013) CPRS/NWBT/KATY	5	78	93	68.8	71.6	5942	2284	8226
254 A	AR 0001151 (URN 021) BNGL/SHORT-RICO	4	85	100	65.8	69.1	5078	2710	7788
255 M	MS 0204114	7	81	26	64.6	6.07	5672	2877	8549
256 X	XL 7	5	72	113	64.1	72.6	5966	3956	9922
257 X	XL8	5	79	110	64.4	72.6	7344	3432	10776
258 C	CLXL 8	4	81	112	66.1	74.1	6553	3249	9802
259 X	XP 710	7	76	113	66.5	74.6	7245	4515	11760
260 X	XP 712	2	83	119	70.1	72.9	6940	4935	11875
C.V.		10.9	1.8	2.8	2.8	1.7	15.3		
LSD (0.05)	5)	0.9	2.2	4.6	3.7	2.5	1406.9		

2003 Commercial Advanced Rice Yield Test Acadia Parish, Mowata, La

ENT	PEDIGREE	Vigor	Days to 50% Heading	Height (cm)	Grain Yield	Mil. % Whole Gr	Mil. % Total Gr
201	CL 121	5	70	84	6091	66.8	70.7
202	CL 141	4	74	114	7187	64.4	69.3
203	CL 161	4	77	97	7037	67.0	70.5
204	COCODRIE	5	71	88	6539	66.0	71.2
205	CYPRESS	4	75	89	6092	66.8	70.8
206	CHENIERE	5	73	90	6473	65.6	71.2
207	FRANCIS	5	75	101	7145	62.6	68.8
208	WELLS	5	75	99	7238	62.7	69.6
209	SABER	5	73	91	5801	68.8	70.6
210	AHRENT	5	73	100	5338	63.1	67.8
211	PRISCILLA	6	74	88	5987	65.8	70.2
212	JEFFERSON	6	69	86	5162	66.3	71.1
213	MAYBELLE	6	68	93	4948	67.3	71.0
214	PIROGUE	6	77	95	6000	63.5	69.6
215	BENGAL	5	78	93	6890	66.5	69.1
216	EARL	5	80	101	5723	64.0	67.9
217	DELLROSE	6	74	89	5000	66.6	70.5
218	DELLA	6	78	123	4213	58.0	67.8
219	DELLMATI	6	67	100	3948	61.9	69.7
220	0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT	6	71	89	6072	67.3	71.2
221	0302005(URN 005) TACAURI/3/CPRS//82CAY21/TBNT	6	72	87	6379	62.7	69.7
222	0202008 (URN 008) CPRS//82CAY21/TBNT/	5	67	98	7840	61.9	66.9
223	0302022 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT	6	70	80	5668	67.3	71.2
224	0202195 (URN 034) NWBT/KATY//9902207x7	5	70	86	6566	66.4	71.0
225	0202192 (URN 045) DREW/3/CPRS//82CAY21/TBNT	6	71	88	6112	65.6	70.1
226	0202048 (URN 048) LM-1	7	74	83	4581	61.6	70.9
227	0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121	5	70	90	6050	67.5	72.1
228	0102068 (URN 068) 9502008/LGRU	5	71	90	6374	68.1	71.5
229	0302082 (URN 082) 9502008-A/DREW	4	71	82	6255	69.4	73.7
230	0302094 (URN 094) 9502008-A/DREW	6	70	93	6417	68.5	71.9
231	0302097 (URN 097) 9502008-A/TACAURI	5	70	85	5804	65.2	70.7
232	0202103 (URN103) CPRS/DREW	6	73	94	4806	66.8	73.0
233	0002140 (URN 025) JSMN/DLLA	5	78	91	5672	53.8	65.5

2003 Commercial Advanced Rice Yield Test Acadia Parish, Mowata, La

ENT	PEDIGREE	Vigor	Days to 50% Heading	Height (cm)	Grain Yield	Mil. % Whole Gr	Mil. % Total Gr
234	0202183 (URN 031) 9502065/3/BNGL//MERC/RICO	5	77	90	6229	64.7	67.5
235	0002146 (URN 028) ORIN//MERC/RICO//	6	76	96	5922	65.3	68.2
236	0302140 (URN 140) BNGL//V4916/STRN	5	77	91	5998	68.3	72.1
237	0302146 (URN 146) BNGL/9502065	5	76	84	5640	67.6	70.1
238	0302137 (URN 137) DLMT//DLMT//B846273-710	5	70	97	6585	65.1	70.8
239	0302125 (URN 125) JSMN/DLLA//LEAH/DLLA	4	68	88	5171	67.4	72.0
240	0302011 (URN011) AC105DH2/AC101DH2	5	71	88	5893	67.1	70.8
241	0302042 (URN 042) 9863304DH2	5	80	120	6387	53.5	66.3
242	0302051 (URN 051) AC105DH2/AC110DH2	5	67	88	5067	68.0	72.0
243	0302062 (URN 062) CCDR/98PIM0141	5	75	95	4711	61.4	67.8
244	0302071 (URN 071) AC122DH4	, 4	77	100	7973	64.5	68.2
245	0302085 (URN 085) AC105DH2/AC110DH2	5	73	94	5828	66.5	70.9
246	0302088 (URN 088) AC105DH2/AC110DH2	5	70	95	6313	67.2	70.5
247	0302091 (URN 091) AC176DH1/9959322DH2	6	71	89	5550	64.1	70.0
248	0302128 (URN 128) CCDR/98PIM0151	5	72	98	7610	67.0	70.7
249	0302149 (URN 149) CCDR/98LL0401	5	72	93	7115	68.7	71.4
250	TX 9092	5	73	86	5276	67.4	70.9
251	TX 8181	7	73	86	5332	67.7	71.3
252	AR 0101093 (URN 004) 9101001//TBNT/KATY/3/LGRU	5	69	105	7228	68.5	71.7
253	AR 0001124 (URN 013) CPRS/NWBT/KATY	5	73	91	6283	69.5	72.5
254	AR 0001151 (URN 021) BNGL/SHORT-RICO	5	77	91	6439	63.7	67.4
255	MS 0204114	6	73	92	5859	64.7	69.2
256	XL 7	4	69	113	7531	62.8	71.6
257	XL 8	5	73	105	8226	60.3	69.7
258	CLXL 8	4	75	111	8961	59.4	69.0
259	XP 710	7	77	112	8414	58.6	67.7
260	XP 712	5	76	107	8740	63.8	68.7
C.V.		10.3	1.8	4.8	11.1	2.8	1.8
LSD(0.0	5)	0.9	2.2	7.8	1116.2	3.7	2.5

2003 Commercial Advanced Rice Yield Test Vermilion Parish, Pine Island, La

03 CA			Days to 50%	Height	Grain
ENTRY	PEDIGREE	Vigor	Heading	(cm)	Yield
201	CL 121	5	68	79	4532
202	CL 141	4	72	94	4667
203	CL 161	4	74	95	5036
204	COCODRIE	5	70	86	5627
205	CYPRESS	5	73	90	5259
206	CHENIERE	5	73	89	5795
207	FRANCIS	5	72	92	5521
208	WELLS	4	72	93	5179
209	SABER	5	73	89	4390
210	AHRENT	5	71	93	4348
211	PRISCILLA	6	73	90	4892
212	JEFFERSON	8	66	89	4668
213	MAYBELLE	5	63	87	3867
214	PIROGUE	7	75	94	5636
215	BENGAL	5	75	85	5559
216	EARL	6	75	96	5539
217	DELLROSE	7	72	89	3894
218	DELLA	7	75	115	3403
219	DELLMATI	7	63	106	2771
220	0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT	5	69	87	5441
	0302005(URN 005) TACAURI/3/CPRS//82CAY21/TBNT	6	69	88	5430
	0202008 (URN 008) CPRS//82CAY21/TBNT/	7	64	93	5061
223	0302022 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT	6	69	87	5233
	0202195 (URN 034) NWBT/KATY//9902207x7	5	68	86	5758
225	0202192 (URN 045) DREW/3/CPRS//82CAY21/TBNT	7	70	92	5094
226	0202048 (URN 048) LM-1	8	72	85	3694
227	0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121	5	71	85	4916
	0102068 (URN 068) 9502008/LGRU	5	72	84	4717
	0302082 (URN 082) 9502008-A/DREW	6	70	88	5081
	0302094 (URN 094) 9502008-A/DREW	6	69	92	5189
	0302097 (URN 097) 9502008-A/TACAURI	6	72	83	4818
	0202103 (URN103) CPRS/DREW	5	73	87	4790
	0002140 (URN 025) JSMN/DLLA	6	74	94	4735
	0202183 (URN 031) 9502065/3/BNGL//MERC/RICO	5	75	83	5999
	0002146 (URN 028) ORIN//MERC/RICO//	5	74	90	5815
	0302140 (URN 140) BNGL//V4916/STRN	5	76	88	5261
	0302146 (URN 146) BNGL/9502065	5	75	80	4721
	0302137 (URN 137) DLMT//DLMT//B846273-710	5	69	96	5443
	0302125 (URN 125) JSMN/DLLA//LEAH/DLLA	5	64	89	4415
	0302011 (URN011) AC105DH2/AC101DH2	5	70	87	4839
	0302042 (URN 042) 9863304DH2	7	75	113	5798

2003 Commercial Advanced Rice Yield Test Vermilion Parish, Pine Island, La

03 CA ENTRY	PEDIGREE	Vigor	Days to 50% Heading	Height (cm)	Grain Yield
242	0302051 (URN 051) AC105DH2/AC110DH2	7	70	83	4191
243	0302062 (URN 062) CCDR/98PIM0141	- 6	72	90	3501
244	0302071 (URN 071) AC122DH4	5	76	91	5364
245	0302085 (URN 085) AC105DH2/AC110DH2	5	73	87	4235
246	0302088 (URN 088) AC105DH2/AC110DH2	4	67	94	5231
247	0302091 (URN 091) AC176DH1/9959322DH2	7	70	91	4312
248	0302128 (URN 128) CCDR/98PIM0151	6	72	92	5550
249	0302149 (URN 149) CCDR/98LL0401	6	70	96	5455
250	TX 9092	5	70	83	4558
251	TX 8181	6	73	88	4711
252	AR 0101093 (URN 004) 9101001//TBNT/KATY/3/LGRU	6	65	89	4625
253	AR 0001124 (URN 013) CPRS/NWBT/KATY	6	72	92	5328
254	AR 0001151 (URN 021) BNGL/SHORT-RICO	- 5	76	88	5080
255	MS 0204114	7	73	95	4357
256	XL 7	6	68	108	6753
257	XL 8	5	71	100	6843
258	CLXL 8	5	73	105	6739
259	XP 710	5	73	100	7659
260	XP 712	5	76	100	6628
C.V.		12.6	1.8	4.8	7.1
_SD (0.05)		1.1	2	7.1	580.3

2003 Commercial Advanced Rice Yield Test Evangeline Parish, Mamou, La

ENT	PEDIGREE	Days to 50% Heading	Height (cm)	Grain Yield
201	CL 121	79	82	4512
202	CL 141	83	101	3601
203	CL 161	85	94	5129
204	COCODRIE	81	95	6461
205	CYPRESS	83	97	5566
206	CHENIERE	84	95	6282
207	FRANCIS	83	100	5985
208	WELLS	84	102	6413
209	SABER	83	95	4611
210	AHRENT	79	105	5516
211	PRISCILLA	86	97	4745
212	JEFFERSON	78	85	4537
213	MAYBELLE	74	93	3978
214	PIROGUE	88	88	2898
215	BENGAL	86	92	5109
216	EARL	87	106	5548
217	DELLROSE	87	90	4203
218	DELLA	87	120	2096
219	DELLMATI	80	117	2090
220	0202002 (URN 002) 9502008/3/CPRS//82CAY21/TBNT	78	98	6350
221	0302005(URN 005) TACAURI/3/CPRS//82CAY21/TBNT	82	87	5854
222	0202008 (URN 008) CPRS//82CAY21/TBNT/	76	102	4410
223	0302022 (URN 022) TACAURI/3/CPRS//82CAY21/TBNT	81	88	5305
224	0202195 (URN 034) NWBT/KATY//9902207x7	79	95	7288
225	0202192 (URN 045) DREW/3/CPRS//82CAY21/TBNT	82	96	6742
226	0202048 (URN 048) LM-1	88	82	2625
227	0302065 (URN 065) 9602082/CPRS//82CAY21/TBNT/3/AR-1121	79	93	6115
228	0102068 (URN 068) 9502008/LGRU	84	94	5630
229	0302082 (URN 082) 9502008-A/DREW	81	96	6279
230	0302094 (URN 094) 9502008-A/DREW	80	97	6461
231	0302097 (URN 097) 9502008-A/TACAURI	82	89	5542
232	0202103 (URN103) CPRS/DREW	82	99	5959
233	0002140 (URN 025) JSMN/DLLA	88	101	4498

2003 Commercial Advanced Rice Yield Test Evangeline Parish, Mamou, La

ENT	PEDIGREE	Days to 50% Heading	Height (cm)	Grain Yield
234	0202183 (URN 031) 9502065/3/BNGL//MERC/RICO	88	85	4825
235	0002146 (URN 028) ORIN//MERC/RICO//	82	101	5775
236	0302140 (URN 140) BNGL//V4916/STRN	86	99	4443
237	0302146 (URN 146) BNGL/9502065	87	92	4033
238	0302137 (URN 137) DLMT//DLMT//B846273-710	80	104	2777
239	0302125 (URN 125) JSMN/DLLA//LEAH/DLLA	77	95	3271
240	0302011 (URN011) AC105DH2/AC101DH2	79	99	5822
241	0302042 (URN 042) 9863304DH2	92	124	5330
242	0302051 (URN 051) AC105DH2/AC110DH2	80	92	4182
243	0302062 (URN 062) CCDR/98PIM0141	86	91	3263
244	0302071 (URN 071) AC122DH4	86	99	4777
245	0302085 (URN 085) AC105DH2/AC110DH2	81	100	5248
246	0302088 (URN 088) AC105DH2/AC110DH2	82	104	6123
247	0302091 (URN 091) AC176DH1/9959322DH2	82	91	4470
248	0302128 (URN 128) CCDR/98PIM0151	81	103	6253
249	0302149 (URN 149) CCDR/98LL0401	80	102	6094
250	TX 9092	85	90	4215
251	TX 8181	88	85	4769
252	AR 0101093 (URN 004) 9101001//TBNT/KATY/3/LGRU	73	106	3383
253	AR 0001124 (URN 013) CPRS/NWBT/KATY	84	94	5675
254	AR 0001151 (URN 021) BNGL/SHORT-RICO	88	92	4756
255	MS 0204114	86	97	4058
256	XL 7	79	115	6448
257	XL 8	84	112	6727
258	CLXL 8	83	112	6764
259	XP 710	86	116	7717
260	XP 712	88	111	6635
C.V.		2.2	4.0	10.8
LSD (0.05)		2.9	6.3	892.4

REPRODUCE LOCALLY. Include form number and edition date on al	l reproductions.	ORM APPROVED - OMB No. 0581-0055			
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held				
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	confidential until the certificate is issu				
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME			
Louisiana State University Agricultural Center	LA 9902134	Pirogue			
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area code)			
LSU AgCenter	(337) 788-7531	(337) 788-7553			
Rice Research Station 1373 Caffey Road	7. PVPO NUMBER				
20040015					
8. Does the applicant own all rights to the variety? Mark an "X" in the		0, -			
9. Is the applicant (individual or company) a U.S. national or a U.S. b	pased company? If no, give name of co	ountry. YES NO			
10. Is the applicant the original owner? YES	NO If no, please answer one	of the following:			
a. If the original rights to variety were owned by individual(s), is ((and the entire Level and a LLO Netice	-1/-20			
YES	NO If no, give name of count				
b. If the original rights to variety were owned by a company(ies)	, is (are) the original owner(s) a U.S. bas NO If no, give name of countr				
11. Additional explanation on ownership (Trace ownership from origin	nal breeder to current owner. Use the re	everse for extra space if needed):			
Owned by the LSU AgCenter.					
	e e e e e e e e e e e e e e e e e e e				
	•				
PLEASE NOTE:					
Plant variety protection can only be afforded to the owners (not licens	sees) who meet the following criteria:				
If the rights to the variety are owned by the original breeder, that penational of a country which affords similar protection to nationals of	erson must be a U.S. national, national of f the U.S. for the same genus and specie	of a UPOV member country, or			
If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a c genus and species.	red the original breeder(s), the company country which affords similar protection t	must be U.S. based, owned by o nationals of the U.S. for the same			
3. If the applicant is an owner who is not the original owner, both the	original owner and the applicant must m	eet one of the above criteria.			
The original breeder/owner may be the individual or company who dir Act for definitions.	rected the final breeding. See Section 4	1(a)(2) of the Plant Variety Protection			
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, control number. The valid OMB control number for this information collection is 0581-0055. Including the time for reviewing the instructions, searching existing data sources, gathering a	The time required to complete this information collect	ion is estimated to average 0.1 hour per resonance			

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.